

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 518 470 A1

(12)

EUROPEAN PATENT APPLICATION
published in accordance with Art. 158(3) EPC

(43) Date of publication:
30.03.2005 Bulletin 2005/13

(51) Int Cl.7: **A41B 11/00**

(21) Application number: 02741404.4

(86) International application number:
PCT/JP2002/006716

(22) Date of filing: 03.07.2002

(87) International publication number:
WO 2004/004496 (15.01.2004 Gazette 2004/03)

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SK TR**
Designated Extension States:
AL LT LV MK RO SI

• **ISHIKAWA, Kimio**
Kira-machi, Hazu-gun Aichi 444-0515 (JP)

(71) Applicant: **Takeda Leg Wear Co., Ltd.**
Fujimi-City, Saitama 354-0011 (JP)

(74) Representative: **Möbus, Steffen**
Kayser & Möbus
Patentanwälte
Leienfelsstrasse 6
81243 München (DE)


(72) Inventors:
• **TAKEDA, Daisuke**
Saitama 354-0011 (JP)

(54) **SOCK**

(57) A sock characterized by having a bulge portion (11) extending vertically of the toes that, in the intermediate portion of a toe portion (10) covering the toes, is disposed in the instep (IOb) and/or sole (10a) of the foot, whereby when the toes are inserted in the toe

portion (10), the bulge portion (11) allows the toe portion (10) to deform easily along the toes, thus making the insertion of the toes smooth at the time of wearing and, on completion of wearing, providing room around the toes by the bulge portion (11) so as to avoid a feeling of excessive tightening.

Fig.3



EP 1 518 470 A1

Description

BACKGROUND OF THE INVENTION

Field of the Invention:

[0001] This invention relates to socks, and particularly to socks that have little feeling of constriction when worn.

Description of the Related Art:

[0002] Generally, a sock as shown by reference number 1 in Fig. 10 comprises: a tubular knit section 2 that has a foot-insert section 2a and that extends from near the ankle of the foot to the instep and arch of the foot; and a toe section 3 that is connected to the tubular-knit section 2 in a tapering shape and covers the toes, and where particularly, as shown in Fig. 11, this toe section 3 comprises a sole section 3a that covers the lower half of the toes, and an instep section 3b that covers the upper half of the toes, and the sole section 3a and instep section 3b are formed into a flat tubular shape and closed on the tip end by knitting them together into a flat shape.

[0003] In the case of this kind of conventional sock 1, when inserting the foot through the foot-insert section 2a and inserting the toes into the toe section 3, the toes must be inserted into the sole section 3a and instep section 3b of this toe section 3 while deforming them into a tubular shape.

[0004] Therefore, particularly, the wearer feels a tight fit around the toes in the tapered toe section 3, and after the sock is put on, feels constriction around the toes.

[0005] Taking this kind of problem into consideration, the object of this invention is to provide a sock that particularly loosens the fit in the tapered toe section, and reduces the feeling of constriction after the sock is put on.

DISCLOSURE OF INVENTION

[0006] The sock of this invention is a sock comprising a toe section that covers the toes, and a bulge section in the middle section of the toe section that bulges in the vertical direction of the toes.

[0007] With this kind of construction, when the toes are inserted into the toe section, this toe section deforms easily along the toes due to the bulge section.

[0008] As a result, when putting the sock on, the toes can be inserted smoothly, and after the sock is put on, there is space around the toes due to the bulge section, and thus it is possible to avoid a feeling of excessive constriction.

[0009] Here it is preferred that the bulge section becomes gradually thinner going from the side of the large toe toward the side of the small toe.

[0010] In the sock of this invention, the bulge section

is formed in the section that covers the lower half or the upper half of the toes.

[0011] By using this kind of construction, it is possible to make the shape of the toe section after the sock has been put on close to the shape of the toes, and thus it is possible to further improve the fit and feeling of constriction.

[0012] Moreover, it is also possible to form the bulge section where it will cover the lower half of the toes and the upper half of the toes, and this makes it possible to improve the fit and feeling of constriction even more.

[0013] Also, in the sock of this invention, the toe section is divided into a first insert section where the large toe is inserted, and a second insert section where the other toes are inserted, and bulge sections are formed in both the first insert section and second insert section.

[0014] With this kind of construction, it is possible to maintain the function of improving the fit and feeling of constriction described above, and since the toe section is located between the large toe and other toes, shifting of the toe section and toes is suppressed, and thus it is possible to improve the fit.

(Pg. 3)

[0015] Furthermore, the sock of this invention is formed by dividing the toe section into five insert sections into which the toes are individually inserted, and forming bulge sections in each of these five insert sections.

[0016] With this kind of construction, it is possible to maintain the function of improving the fit and feeling of constriction described above, as well as further improving the function of suppressing shifting of the toes in the toe sections, and thus it is possible to improve the fit even more.

BRIEF DESCRIPTION OF THE DRAWINGS

[0017]

Fig. 1 is a vertical cross-sectional view showing the toe section of a first embodiment of the invention.

Fig. 2 is a side view of the toe section of a first embodiment of the invention.

Fig. 3 shows the toe section of a first embodiment of the invention, and is a side view showing the state of deformation when the sock is worn.

Figs. 4 is vertical cross-sectional views of other examples of the toe section of this invention.

Fig. 5 is a vertical cross-sectional view of yet another example of the toe section of this invention.

Fig. 6 is a vertical cross-sectional view of even yet another example of the toe section of this invention.

Fig. 7 is an external pictorial view of another example of this invention.

Fig. 8 is a vertical cross-sectional view of the toe section of Fig. 7.

Fig. 9 is an external pictorial view of another example of the invention.

Fig. 10 is an external pictorial view of a typical sock.

Fig. 11 is a sectional view along the line I-I of Fig. 10.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0018] In order to explain the invention in more detail, it will be explained with reference to the accompanying drawings.

(Pg. 4)

First Embodiment

[0019] Fig. 1 to Fig. 3 show the toe section 10 of the sock of a first embodiment of the invention, where Fig. 1 is a vertical cross-sectional view of the toe section 10, Fig. 2 is a side view of the toe section 10 and Fig. 3 is a side view of when the sock is worn; and the other parts are common with those shown in Fig. 10 so they will be explained using Fig. 10 and the reference numbers used in Fig. 10.

[0020] This embodiment is characterized by forming a bulge section 11 in the middle part of the toe section 10 that is formed such that it continuous with the end section of the tubular knitted section 2.

[0021] The toe section 10 is knitted completely into a flat tubular shape and comprises a sole section 10a that covers the bottom part of the toes and the instep section 10b that covers the top part of the toes.

[0022] Moreover, in this embodiment, the bulge section 11 is formed in the middle part in the lengthwise direction of the toes in the sole section 10a, and when knitting this sole section 10a, and with the knitting location held fixed, the knitting needles are gradually decreased, after which they are gradually increased.

[0023] Furthermore, the bulge section 11 is formed such that it is a simple arc shape that protrudes downward.

[0024] In the case of the sock of this embodiment that is constructed in this way, when putting on the sock and the toes are inserted into the toe section 10, the toe section 10 is stretched and deformed in the front and back direction as well as the up and down direction.

[0025] Also, as shown in Fig. 3, by forming a bulge section 11 in the sole section 10a, the sole section 10a deforms in correspondence to the inserted toes.

[0026] Therefore, when inserting the toes into the toe section 10, the resistance to the insertion is reduced, and a good fit is obtained, and since there is little stretching in the bulge section 11 after being put on, the constrictive force applied to the toes is reduced, and as a result, the feeling of constriction is reduced and a comfortable fit is obtained.

(Pg. 5)

[0027] On the other hand, an example of forming the bulge section 11 into a simple arc shape was described, however, instead of this, it is also possible for the bulge section to be a trapezoidal shape as shown in Fig. 4A.

[0028] Also, as shown in Fig. 4B, it is also possible to form the bulge section 11 such that it gradually becomes thinner in the direction from the large toe to the small toe, and with this kind of construction, the bulge section corresponds to the shape of the toes and improves the fit and feeling of constriction even more.

[0029] Moreover, these bulge sections 11, 12 can be formed in not only the sole section 10a, but as shown in Fig. 5 and Fig. 6, can also be formed in the instep section 10b, or furthermore, could be formed in just this instep section 10b.

[0030] Also, as in the toe section indicated by reference number 13 in Fig. 7, this toe section 13 can be formed such that it is divided into a first insert section 14 into which the large toe is inserted, and a second insert section 15 into which the other toes are inserted, and as shown in Fig. 8, a bulge section 11 can be formed into both the first insert section 14 and second insert section 15.

[0031] By forming a first insert section 14 and second insert section 15 in the toe section 13 like this, and by holding the toe section between the large toe and the adjacent toe, it is possible to suppress shifting of the toes in the toe section 13 and to improve the fit.

[0032] Also, as in the toe section indicated by the reference number 16 in Fig. 9, this toe section 16 is formed such that it is divided in first to fifth insert sections 17 to 21 that correspond to each of the toes; and even though not shown in the drawings, it is also possible to form a bulge section in each of these insert sections 17 to 21.

[0033] With this kind of construction, while maintaining the fit described above, each toe is independently covered so it is possible to eliminate sweating and the like, and make wearing the sock more comfortable.

(Pg. 6)

[0034] Also, in the case where insert sections 17 to 21 that correspond to the toes are formed, resistance to the insertion of the toes is increased, however, in this invention, since bulge sections are formed in each of the insert sections to 17 to 21, the aforementioned insert resistance is reduced, the sock can be put on smoothly.

[0035] Furthermore, the insert section described above could also be an insert section for an arbitrary number of toes that covers from the index toe (second toe) to the next to the last toe (fourth toe).

[0036] Also, the tubular knit section 2 described above could be changed among various shapes such as a shape that covers the calf, a shape that covers the ankle, or a shape that covers to just below the ankle.

Industrial Applicability

[0037] As described above, with this invention, by forming a bulge section that runs along the vertical direction of the toes in the middle section of the toe section that covers the toes, when inserting the toes, this toe section deforms easily along the toes, and as a result, the toes can be inserted smoothly when putting the sock on, and after the sock has been put on, the bulge section forms space around the toes, so it is possible to avoid a feeling of excessive constriction.

Description of Reference Numbers

[0038]

- | | | |
|------|-------------------------|----|
| 1. | sock | |
| 2. | tubular knitted section | |
| 2a. | foot-insert section | |
| 3. | toe section | 20 |
| 3a. | sole section | |
| 3b. | instep section | |
| 10. | toe section | |
| 10a. | sole section | |
| 10b. | instep section | 25 |
| 11. | bulge section | |
| 12. | bulge section | |
| 13. | toe section | |
| 14. | first insert section | |
| 15. | second insert section | 30 |
| 16. | toe section | |
| 17. | first insert section | |
| 18. | second insert section | |
| 19. | third insert section | |
| 20. | fourth insert section | 35 |
| 21. | fifth insert section | |

Claims

- | | | |
|----|---|----|
| 1. | A sock comprising a toe section that covers the toes and in which a bulge section is formed in the middle part of said toe section such that it bulges in the vertical direction of the toes. | 40 |
| 2. | The sock of claim 1 wherein said bulge section is formed such that it gradually becomes thinner from the side of the large toe toward the side of the little toe. | 45 |
| 3. | The sock of claim 1 or claim 2 wherein said bulge section is formed in a location where it covers the bottom half of said toes. | 50 |
| 4. | The sock of claim 1 or claim 2 wherein said bulge section is formed in a location where it covers the top half of said toes. | 55 |

5. The sock of claim 1 or claim 2 wherein said bulge section is formed in a location where it covers the bottom half and top half of said toes.

5 6. The sock of any of the claims 1 to 5 wherein said toe section is formed such that it is divided into a first insert section into which the large toe is inserted, and a second insert section into which the other toes are inserted, and where bulge sections are formed in both the first insert section and second insert section.

7. The sock of any of the claims 1 to 5 wherein said toe section is formed such that it is divided into five insert sections for each individual toes, and where bulge sections are formed for each of the five insert sections.

Fig.1




Fig.2




Fig.3





Fig.4

(a)



(b)




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10





Fig.11



INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP02/06716

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl ⁷ A41B11/00		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Int.Cl ⁷ A41B11/00		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Jitsuyo Shinan Koho 1926-1996 Toroku Jitsuyo Shinan Koho 1994-2002 Kokai Jitsuyo Shinan Koho 1971-2002 Jitsuyo Shinan Toroku Koho 1996-2002		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Microfilm of the specification and drawings annexed to the request of Japanese Utility Model Application No. 53096/1987 (Laid-open No. 158902/1988) (Okamoto Industries, Inc.), 18 October, 1988 (18.10.88), (Family: none)	1, 3-5
Y		2, 6-7
Y	JP 11-21703 A (Takeda Legwear Kabushiki Kaisha), 26 January, 1999 (26.01.99), & US 6000247 A	2, 6
Y	Microfilm of the specification and drawings annexed to the request of Japanese Utility Model Application No. 150795/1974 (Laid-open No. 76722/1976) (Taiyo Tebukuro Kabushiki Kaisha), 17 June, 1976 (17.06.76), (Family: none)	7
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 30 July, 2002 (30.07.02)		Date of mailing of the international search report 13 August, 2002 (13.08.02)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

Form PCT/ISA/210 (second sheet) (July 1998)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP02/06716

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	JP 7-145503 A (Conti Complet S.p.A.), 06 June, 1995 (06.06.95), & EP 636729 A & US 5555832 A	1, 3
A	JP 10-331002 A (Fujimoto Sen'i Kabushiki Kaisha), 15 December, 1998 (15.12.98), (Family: none)	1-7

Form PCT/ISA/210 (continuation of second sheet) (July 1998)